OTHER ENVIRONMENTAL ISSUES

into the soil as quickly as possible will help break the fly development cycle.

Good housekeeping and management practices that keep manure and litter dry are a first line of defense against flies. A partial list of such practices includes the following:

- Water troughs or cups should be free of leaks, drips, and condensation. The water pressure should be properly adjusted (to prevent dripping) and an on/off cycle should be used (to control condensation).
- Adjust the floor/grade relationship if the water table is high or if outside water can penetrate the house.
- Provide abundant cross-ventilation and avoid excessively high temperatures.
- Prevent dysentery with antibiotics, if necessary, and avoid foods that have a known laxative effect.
- Avoid excessively high house temperatures that encourage abnormal water intake.
- ▼ Use absorbent litter materials.
- Consider combining deep pit manure storage with composting for layer operations.

Chemical Controls

Under certain conditions, insecticides may be used to control adult flies in barns and poultry houses. But these products should be reserved for critical times when the management system breaks down, because flies quickly develop resistance. Insecticide applications may be regulated in some states and should be handled carefully to minimize any harmful effects associated with toxic ingredients.

By increasing their focus on outcomes, rather than inputs, growers will find that they have many more tools than insecticides to help them control flies. Consider composting, for example. Undisturbed litter that is free of moisture will slowly begin to compost naturally, and it will support a large number of predators and parasites that feed on fly larvae. These predators include beetles, mites, and parasitic wasps. Scavenger insects help aerate the litter

and make it less suitable for fly development. Take care, however, to leave the litter undisturbed; time is needed to encourage the buildup of the beneficial insects. Schedule complete cleanouts, therefore, in the off-fly seasons, and make only spot applications of insecticides in the meantime to reduce the potential for resistance to insecticides.

Integrated Pest Management

Among many reasons to include new waste management practices and beneficial insects in the battle against flies is the dawning recognition that flies are not going to be eradicated. Instead, an integrated and routine program to control them must be implemented and practiced throughout each year. Other reasons to integrate pest management measures involve changes in our understanding of and attitudes toward pesticides:

- ▼ the choice of effective pesticides that can be safely applied is limited;
- ▼ flies develop resistance to even the most potent pesticides,
- avoiding insecticide residues in animal tissues and other products is essential, and
- pesticides are included in a general concern for the effects of agricultural chemicals on the environment.

Pesticides should be used, therefore, as part of an integrated system and with proper attention to practices that will minimize these concerns. Thus, consider insecticides as supplemental to good housekeeping and waste management, and use space spray with no residue to gain immediate control.

Use sprayers made especially to form aerosols that will remain in the air long enough to catch the adult fly and make the application early in the morning before the flies fly up to ceilings and support posts. Using portable equipment may help the applicator reach some difficult areas around the house.

Fly baits in wet or dry form can also be used as supplements to other methods. Liquid baits must be prepared by the applicator and brushed or sprayed on fly resting areas. Larvicides can be applied to manure below the cages and around waterers, but treating manure

OTHER ENVIRONMENTAL ISSUES

regularly (and throughout the facility) is not recommended. Such a practice is costly, the flies quickly develop resistance, and the treatment will also kill the beneficial insects.

Some growers may want to investigate other practices, for example, feed-through larvicides or the commercially available parasitic wasps, or soldier flies, which reduce the volume of waste and crowd out houseflies.

Sticky fly papers and spot cards can be used to monitor the presence of flies. Spot cards are plain white cards stapled so that each side is available for the flies to rest on. The resting flies leave brown regurgitation and fecal spots on the cards, which are then retrieved and the spots counted. Chemical treatments are advised if the grower finds 50 spots per card per week. (The cards also provide a handy record of conditions — and indicate the grower's use of controls — should such a record be needed.

Some type of regular "scouting" or inspection schedule should be used throughout the year to determine where and when the fly population is developing, and therefore where and when to use cultural practices or pesticides. It can also help the grower determine the effectiveness of the control program overall.

References

- Axtell, R-C. 1985. Arthropod Pests of Poultry. Pages 269-295 in Livestock Entomology, R.E. Williams et al., editors. John Wiley and Sons, New York, NY.
- Collison, C.H. 1996. Manure Management Strategies to Control Flies. In Manure Management for Environmental Protection. Reprinted as Fact Sheet. Pennsylvania Cooperative Extension, Pennsylvania State University, Lancaster, PA.
- Nolan, M.P. Jr. 1988. Control External Parasites and House Flies Around Poultry Operations. Bulletin 723. Cooperative Extension Service. College of Agriculture, University of Georgia, Athens.
- Strother, G.R. 1990. Fly Control in Poultry Operations. DTP Circular 12/90-015. Cooperative Extension Service, Auburn University, Auburn, AL.
- Williams, R.E. 1990. Fly Control in Poultry Houses. E-3.
 Cooperative Extension Service, Purdue University,
 West Lafayette, IN.
- Poultry Producers. Poultry Times, June 2, pp. 1, 5, 19.

Other pages in this handbook contain more detailed information on these subjects. Permission is hereby granted to producers, growers, and associations serving the poultry industry to reproduce this material for further distribution. The Poultry Water Quality Consortium is a cooperative effort of industry and government to identify and adopt prudent uses of poultry by-products that will preserve the quality of water OEI / 8 — 9/98 for everyone.

POULTRY WATER QUALITY CONSORTIUM
6100 Building, Suite 4300 • 5720 Uptain Road • Chattanooga, TN 37411
Tel: 423 855-6470 • Fax: 423 855-6607



CONSTRUCTED WETLANDS

agricultural runoff is one of the nonpoint sources of pollution that threatens the water quality in rivers and lakes of the United States. Water that flows off the land after precipitation events picks up fertilizers and animal wastes that have been applied to the soil and deposits them in lakes and rivers.

If the runoff is uncontrolled, it causes soil erosion and increases the presence of suspended solids, which can contain nutrients, pesticides, herbicides, and metals, in the water. Flooding and the degradation of rivers, streams, and lakes are possible consequences. Nonpoint source pollution can also threaten groundwater quality as the same pollutants leach through the soil.

Runoff can be controlled. Best Management Practices (BMPs) can be adopted as part of the poultry grower's operating procedure. For example, stormwater can be diverted from poultry houses and manure storage areas, and land applications can be made when no storms are predicted. In addition, the arsenal of BMPs now includes the use of constructed wetlands for treating runoff and wastewater.

Functions of Constructed Wetlands

Constructed wetlands are not considered to be waters of the United States; but components of a wastewater treatment system. Therefore, if there is a discharge from a constructed wetlands, a federal or state discharge permit may be required.

A constructed wetlands is a designed structure, or set of structures, that attempts to replicate the functions of a natural wetlands. As with natural wetlands, they support water tolerant or aquatic plants and their soils are saturated (waterlogged) or covered with shallow

water for some part of the year. However, since constructed wetlands are designed to treat wastewater efficiently and effectively, they generally do not fulfill all the functions provided by a natural wetlands (e.g., they do not recharge groundwater or contribute to the creation of hydric soils).

The constructed wetland is the heart of the treatment system. It cleans wastewater by filtering and settling solids, decomposing organics, and adsorbing/absorbing other pollutants such as phosphorus and trace metals. The dissolved organic pollutants are removed by a complex group of microbes (bacteria, fungi, algae, and protozoa) that live in the wastewater and on plant and sediment surfaces. Since waste materials are food for most of these microbes, pollutants are gradually converted through complex food cycles into environmentally less damaging by-products (gases that escape to the air and inert solids that stay in the system).

The primary purpose of wetland plants is to provide a place for these microbes to attach and grow. Generally, treatment effectiveness increases with plant density, which allows a larger quantity of attached microbes to exist within the system. The density of plants also affects flow hydraulics. Uniform flow is enhanced by uniform plant densities, but variable densities create short-circuiting which reduces the retention time and treatment effectiveness of the wetland. In addition, plants make the system attractive and provide food and shelter for wildlife.

The system remains effective during winter because the microbes are still present on the dead stalks, stems, and roots of the vegetation. Because the biological processes slow down during winter, wetland systems are typically sized to meet treatment objectives during cold weather.

Designing Constructed Wetlands

Constructed wetlands can effectively treat poultry industry wastewaters, including stormwater runoff. These wetlands are designed by engineers and built to restore, enhance, or replace the physical, chemical, and biological processes in natural wetlands. They are typically used as polishing cells following conventional primary treatment facilities such as lagoons, settling basins, or septic tanks. The integrated treatment system provides a higher quality wastewater that may be recycled or discharged to a receiving stream if appropriate permits are obtained.

In addition, the volume of treatable waste-water may be substantially reduced during the growing season because of evapotranspiration by the plants. For example, a poultry producer currently having difficulty with overflowing lagoons during wet weather now has the option of adding constructed wetlands, which can be used to treat a portion of the lagoon wastewater during the growing season. Typically the wastewater in the wetlands will be evapotranspired, but any effluent can also be recycled as process waste or as irrigation water.

Constructed wetlands consist of one or more "cells" of wetland plants in series or parallel. Construction can be easily accomplished. Excavate the area to shape the bottom of the wetlands and build small dikes around it. Line the bottom and sides of the excavated areas with clay or a synthetic material. Use PVC pipe to distribute and collect wastewater and to control water levels in the wetland. Water levels are normally shallow — about 3 to 12 inches. Uncontaminated runoff can be diverted from the system by berms or other buffers or grading.

A lagoon, detention basin, or other type of solids trap is used in front of the constructed wetlands to remove heavy or coarse solids. Some contaminated runoff contains high sediment loads and decomposing organic matter that may settle in bottom deposits. Because these deposits can adversely affect the hydrology and life forms in the wetland, the solids trap is particularly important.

Most wetland systems for treating agricultural related wastewaters will not be larger than one or two acres. In general, they should not be located in areas with steep topography, shallow topsoil, or limited space. They must be properly constructed to ensure groundwater protection. Federal, state, or local cost-share funds may be available for constructed wetlands.

Management

Wetland plants include mixtures of cattails, reeds, bulrushes, sedges, and grasses that are normally native to the area. The plants provide the right conditions for the microorganisms that live in the wetlands and break down the pollutants.

Pond and wetland systems are particularly effective because ponds can be designed to catch the stormwater and slowly release it to the wetlands following the storm. This technique keeps the wetlands wet for longer time periods, which can be especially important during dry seasons.

The systems need little routine maintenance but should be inspected periodically to detect any loss of plants, leakage through the dikes, clogging of the pipes, mosquitoes, or short-circuiting of the flow. These problems and others are usually easily corrected.

Properly managed constructed wetlands are cost effective, energy efficient, and simple to operate. They accept varying pollutant loads, attract a variety of wildlife, and add diversity to the farm landscape. Above all, constructed wetlands can help achieve clean water.

Information on the design and construction of wetlands for managing wastewater is available from USDA Natural Resources Conservation Service local offices, and the U.S. Environmental Protection Agency.

References

- Olson, R.K. 1993. Created and Natural Wetlands for Controlling Nonpoint Source Pollution. CRC Press, Boca Raton, FL.
- Schueler, T.R. 1992. Design of Stormwater Wetlands Systems. No. 92710. Metropolitan Washington Council of Governments, Washington, DC.
- Tennessee Valley Authority. No date. Natural and Constructed Wetlands. Fact Sheet in cooperation with U.S. Environmental Protection Agency. No place of publication
- U.S. Environmental Protection Agency. 1990. Uses of Wetlands in Stormwater Management. Watershed Management Unit, Water Division, Region 5, Chicago, IL.
- U.S. Department of Agriculture. 1991. National Bulletin No. 210-1-17. Soil Conservation Service, Washington, DC.

Other pages in this handbook contain more detailed information on these subjects. Permission is hereby granted to producers, growers, and associations serving the poultry industry to reproduce this material for further distribution. The Poultry Water Quality Consortium is a cooperative effort of industry and government to identify and adopt prudent uses of poultry by-products that will preserve the quality of water AT/1 - 9/98 for everyone.

POULTRY WATER QUALITY CONSORTIUM
6100 Building, Suite 4300 • 5720 Uptain Road • Chattanooga, TN 37411
Tel: 423 855-6470 • Fax: 423 855-6607

CONSTRUCTED WETLANDS 3



USING LITTER TO GENERATE HEAT AND ELECTRICITY

Incineration of on-farm poultry mortalities increases in popularity as new technologies add affordability to perceived environmental and health advantages that incineration can offer over other methods of dead bird disposal. Now, engineering and technological developments are occurring to determine if burning litter is a feasible alternative or complementary to other methods of poultry litter management.

Examples of two loosely related, developing alternatives are presented here: the first burns air-dried litter to produce energy for regional distribution; the second, collects litter in a fluidized-bed combustion system and uses it to heat the poultry house. Applying these methods to poultry litter management requires considerable research and development because they have so far been too expensive to use in small systems.

Using Air-dried Litter as an Alternative Fuel

The first in a new breed of commercial electricity generating stations fueled by poultry litter was introduced in the United Kingdom in 1992. Today, the plant, which cost \$30 million has a gross output of 14.2 megawatts.

The plant is fired on about 143,300 tons of litter per year (roughly the same energy as would be derived from 66,139 tons of coal). Special road vehicles deliver the material to the plant's storage bunker. The area of production is within a 31-mile radius of the plant.

Environmentally, this technology has a lot to offer:

▼ it creates demand for the product that effectively prevents the excessive

- application of litter on agricultural fields, thereby protecting water resources and restoring nutrient balance;
- gases produced in the process are low in major pollutants and after treatment in a three-stage electrostatic precipitator are suitable for discharge to the atmosphere;
- ▼ it is low in cost and continuously available; and
- the ash by-product is high in potash and can be removed from the plant in bulk and used as a component of manufactured agricultural fertilizers.

Fluidized-bed Combustion

Fluidized, or bubbling, bed combustion has been used, worldwide, in industry, for more than 20 years. Now some agricultural and government researchers and others in the poultry and waste management industries are probing the usefulness of burning poultry litter in a fluidized bed combustion system.

The objectives of modifying or otherwise developing this technology are twofold: first, to determine whether this method can dispose of litter efficiently and cleanly; and second, whether this biomass is a suitable raw material for energy production.

Recent claims suggest that the technology has many applications:

- ▼ the generation of hot gases for heating and drying;
- ▼ the generation of electrical power;
- ▼ the generation of steam and pressurized systems to suit process inlet requirements.

If so adapted, it would have several advantages:

- ▼ modular designs that are inexpensive and easy to install;
- ▼ reduced power consumption to save operating costs;
- adaptable to a variety of waste streams should conditions change; and — of most importance to some poultry growers —
- ability to burn waste materials having an extremely high moisture content.

If these and other technologies for converting litter to energy are successful, they will help expand potential uses for litter, increase environmental well-being, and contribute to economic sustainability.

References

Dagnall, S.P. 1992. Poultry Litter as Fuel in the UK — A Review. Proceedings of the Incineration Conference, Albuquerque, NM.

Vayda, S. 1996. Marketing Package Addressed to the Poultry Water Quality Consortium. Vayda Energy Associates, Inc., Hampstead, MD.

Other pages in this handbook contain more detailed information on these subjects. Permission is hereby granted to producers, growers, and associations serving the poultry industry to reproduce this material for further distribution. The Poultry Water Quality Consortium is a cooperative effort of industry and government to identify and adopt prudent uses of poultry by-products that will preserve the quality of water for everyone.

AT / 2 — 9/98

POULTRY WATER QUALITY CONSORTIUM
6100 Building, Suite 4300 • 5720 Uptain Road • Chattanooga, TN 37411
Tel: 423 855-6470 • Fax: 423 855-6607

2 USING LITTER TO GENERATE HEAT AND ELECTRICITY



ALTERNATIVE BEDDING — SELECT MATERIALS MAY HAVE HIDDEN VALUES

In the Near East (Morocco), straw is the conventional poultry litter. Recent drought conditions, however, have depleted supplies, forcing growers to pay more and settle for less — or find alternatives. This story is repeated in many regions: the conventional bedding materials and the cause of the shortage may vary, but the race is on for finding suitable alternatives.

A further impetus to trials involving litter materials is the challenge growers face each day: the perception, whether imagined or real, that they must do more to help meet state and regionally mandated reductions in the total volume of wastes stemming from human activities (rural and urban). These "goals" are generally 25 to 40 percent of the total volume produced at the time the goal was set. Particular goals depend on the overall status of resources in the watershed.

The search for alternative litter supplies has environmental consequences on both counts. First, used litter constitutes a large part of the material that each grower must land apply, compost, convert to energy, or otherwise dispose of or recycle. Second, the choice of litter materials may have unexpected benefits: some producers have found that using shredded paper as a litter material reduces odor and provides a nearby market for the town's newspaper recycling program.

Straw

The Moroccan study tested alternative litter materials on cockerel performance and litter quality. The materials investigated included soft wheat straw (whole or ground), rice straw (ground) wood shavings and rice hulls, alone

and in combination. The birds' performance, water consumption, and leg injuries or defects were measured; and the various litters were compared for moisture content, pH, temperature, overall cleanliness scores, and buildups of dust and ammonia.

Differences were noted in the litters, but they were inconclusive. However, straw-based litters had the highest moisture content, pH values, and temperatures, and they received the lowest scores when subjectively rated. Notwithstanding this finding, all materials tested, including straw, were deemed suitable bedding materials, singly or in combination with other materials.

Evaluating Alternative Materials

Fine-textured particleboard residue, a by-product of the wood manufacturing industry that usually ends up in landfills, has been proposed as a way for poultry growers to compensate for the increasing scarcity of hardwood or pine shavings in Indiana. In this case, the shortfall in conventional bedding materials may be driving the search for alternatives but the alternatives themselves — for example, sand, particleboard, newspaper, rice and peanut hulls, ground com cobs, cereals, and grasses — are turning up some surprising trade-offs.

Previous investigations of litter sources correlated the type of bedding with significant differences in bird performance and carcass and litter quality. Thus, the quantitative and qualitative properties in each kind of litter should be taken into consideration before litter is purchased and placed in chicken houses.

Evaluating the performance of the litter generally involves a comparison of two or

more types of litter and a litter prepared from the same ingredients but combined to study the effects of using both at one time. Other management and environmental practices, for example, dietary arrangements, types of feeders and waterers, and litter removal or replacement must be handled the same way throughout the trial in all pens included in the experiment.

Parameters chosen to measure the effects, if any, of the litter on the birds' condition and on the quality of the bedding include the birds' weight gain, feed conversion, mortality, and water consumption; and the degree of caking, pH, ammonia nitrogen, temperature, dust, and moisture conditions in the litter. In the Moroccan trials, for example, each of the materials included in the experiment tested as "suitable" for litter, though straw got lower index values for cleanliness. No statistical differences could be found in the way these materials acted, and no correlation was observed between increased litter moisture levels and leg abnormalities.

Investigators concluded therefore, that even litter materials that may warrant minor complaints, for example, straw, can be used as needed. They could be used as a base, for example, and top-dressed with less available but more preferred materials, such as sawdust or wood shavings. Future studies may profitably assess the litter microbiological parameters and carcass side-effects.

Litter Alternatives Tested in Indiana

Fine and coarsely textured particleboard litter trials carried out on male turkey farms in Indiana yielded good results; the particleboard, containing less moisture to begin with produced a cleaner, drier product initially. It was drier and had less bacteria and mold on day zero.

The birds raised on fine particleboard had several advantages over the pine shavings and coarse particleboard, including fewer breast buttons and leg abnormalities and a 0.22 kg gain in muscle deposition, which off-set a 0.16 kg reduction in market body weight (as compared to birds grown on the traditional litter).

Coarse particleboard, on the other hand, has jagged edges. The birds suffered some foot-pad dermatitis, but not to a level to cause concern. Therefore, coarse particleboard is also an acceptable litter material for use on male turkeys.

Sand

Sand is another material that shows continuing potential as an alternative bedding material. In recent trials, chicks were randomly assigned to litter treatments of either sand or pine shavings. The birds' health and performance were compared at 50 days of age; carcass grade and yield and foot pad lesions were examined by processing 10 male and 10 female birds per pen; and bacterial counts were determined at the end of the trial by analyzing pooled litter samples taken from each pen.

No differences were found in body weights, mortality, or feed conversion in the birds; and no significant differences were found in their carcass grade or yield or foot pad lesions. Likewise, no differences were found for litter moisture or litter temperatures. Abdominal fat yields, however, were significantly lower for the birds grown on sand litter, and the sand pens also had significantly lower E. coli and aerobic plate counts than the pine shavings pens (6.09 and 7.25 CFUs/g, respectively). The trials continue; however, sand is already an acceptable alternative.

New or Recycled Paper

Broiler growers in the Northwest tested virgin and recycled paper-mill waste as an alternative to fir shavings and rye grass. The results showed no difference in the birds' four- or seven-week body weights, feed conversion rates, or mortality. However, the houses containing the short fiber pulp and paper waste litter produced less caking.

In northern Georgia, the Chestatee-Chatta-hoochie Resource Conservation and Development Council, in cooperation with the North Georgia Waste Management Authority and local poultry integrators, evaluated various recycled paper products as poultry bedding. The recycled paper proved to be equal to or better than the traditional wood shavings, sawdust or rice hulls.

Coffee Bean Hulls, Straw, Wood, and Paper

Kentucky tested coffee bean hulls, wheat straw, wood shavings and two kinds of paper ("mixed paper and recycled hardback books" and "mostly hardbacks") The birds showed no

significant differences in body weight, feed consumption and efficiency, breast blisters, or leg abnormalities. However, the caking effect and temperature were highest in wood shavings. The litter temperature in all cases was higher than the ambient temperature.

An Interesting Corollary

Pending additional study, growers can use a variety of materials to substitute for or to replace conventional bedding materials, and therefore some measure of control over failing supplies or rising prices, and other factors than supply and demand can influence this choice.

So what about the use of products (e.g., recycled paper, plant residues, or sawdust and chips generated in wood product manufacturing) that nobody else wants? Can we really use paper diverted from landfills, such as newspaper and old phone books?

Those who have tried it think we can. In their view, bedding made from recycled paper is cleaner than some other bedding materials. It is higher in density and absorbency, provides additional pest control, and helps control odor. In the house, its proponents suggest, it lets chicks grow in less stress; and in the field, it decomposes quickly.

At the present time, paper makes up about 38 percent of the waste stream. Using it as a bedding material presents an interesting possibility.

References

Benabdeljelil, K. and A. Ayachi. 1996. Evaluation of Alternative Litter Materials for Poultry. Journal of Applied Poultry Research 5:203-209.

Hermes, J.C., H.S. Nakaue, and C.A. von Bargen Gould. 1996. Studies on Virgin and Recycled Pulp and Paper Mill Waste Short Fiber as an Alternative Bedding Material for Broilers. Presentation at the 85th Annual Meeting of the Poultry Science Association, Inc., July 8-12, in Louisville, KY.

Hester, P.Y., D.L. Cassens, and T.A. Bryan. 1996. The Applicability of Particleboard Residue as a Litter Material for Male Turkeys. Poultry Science 76:248-255.

Montenegro, G.I., S.F. Bilgili, J.B. Hess, M.K. Eckman, and D.E. Conner. 1996. Comparison of Sand and Pine Shavings as Litter Sources for Broilers. Presentation at the 85th Annual Meeting of the Poultry Science Association. Inc., July 8-12, in Louisville, KY.

Pescatore, A.J., A.H Cantor, K.Ryan, M.L. Straw, and M.J. Ford. 1996. Evaluation of Alternative Bedding Materials on Broiler Performance, Litter Quality, and Temperature. Presentation at the 17th Annual Meeting of the Southern Poultry Science Society, January 22-23. in Atlanta, GA.

Other pages in this handbook contain more detailed information on these subjects. Permission is hereby granted to producers, growers, and associations serving the poultry industry to reproduce this material for further distribution. The Poultry Water Quality Consortium is a cooperative effort of industry and government to identify and adopt prudent uses of poultry by-products that will preserve the quality of water for everyone.

AT / 3 — 9/98

POULTRY WATER QUALITY CONSORTIUM
6100 Building, Suite 4300 • 5720 Uptain Road • Chattanooga, TN 37411
Tel: 423 855-6470 • Fax: 423 855-6607



PHYTASE SUPPLEMENTS — A FEED ADDITIVE THAT IS GOOD FOR THE ENVIRONMENT

Recent studies of nutrient enriched waters suggest that land applications of poultry litter and manure and mortality compost based on nutrient management planning are helping to protect the environment. But nutrient management plans also have an anomaly: namely, they are too often based on nitrogen alone. The practice has inadvertently contributed to a build up of phosphorus in soils that far exceeds plant needs and is easily released to the environment. The problem is compounded because phosphorus is an important dietary nutrient for poultry, and high levels of phosphorus are found in poultry waste.

The solution, it now appears, must be twofold: we must stop applying so much phosphorus to the land — in some regions, no
phosphorus at all — and, if possible, we must
find ways to limit the available phosphorus in
poultry waste. Phytase, an enzyme that increases the availability of naturally occurring
phosphorus in poultry diets while decreasing
the level of phosphorus found in poultry waste,
may be part of the solution.

Adequate dietary phosphorus is a requirement for healthy birds, and inorganic supplements of calcium and phosphorus are normally included in their diet — sometimes at extremely high levels — to guard against leg weakness, improve bone density and egg quality, and enhance weight gains. However, when phytase is used as a dietary supplement, both calcium and phosphorus supplements can be greatly reduced.

Phytase has a positive effect on bird growth: according to trials performed at the University of Minnesota, which linked the use of phytase supplements to profitability (i.e., to the bird's market value). Tests described by BASF Animal Nutrition, the U.S. marketer of phytase under the brand name Natuphos, indicate that turkeys fed 73 percent of recommended inorganic phosphorus supplements, 100 percent of the recommended calcium, and 500 units of phytase per kilogram of feed resulted in 20 percent higher net returns than for turkeys fed the conventional way. A positive net return was also noted for birds fed 52 percent of the recommended phosphorus supplements and 200 units of phytase per kilogram of feed. Birds fed inadequate levels of phosphorus without phytase performed poorly and resulted in negative net returns.

Other Studies

Other projects to evaluate phytase have demonstrated similar results.

- Research funded by the Georgia-based U.S. Poultry and Egg Association in 1996 showed that feeding phytase and a vitamin D3 derivative to broilers reduced the birds' need for dietary phosphorus.
- ▼ Phytase supplements have also been shown to improve calcium and phosphorus use in commercial layers as determined by egg shell quality, feed consumption, egg production, and egg weight.
- Other benefits of phytase supplements that have been demonstrated indicate that they can correct the adverse effects of egg production associated with low dietary phosphorus and significantly reduce the impact of low dietary calcium on bird health.

▼ Broilers and hens on corn-soybean diets supplemented with phytase also showed significant linear responses to increasing levels of phytase. The study concluded that phytase increased the use of dietary phosphorus.

References

- Anon. 1996. Minnesota Study Shows the Profitability of Phytase Supplementation on Turkeys. Poultry Times, May 19, 1997, p. 31.
- -, 1996. SPEA-funded Research Covers a Wide Spectrum of Poultry. Poultry Times, May 6, 1996, p. 22.
- Carlos, A.B., and H.M. Edwards, Jr. 1996. Phytase Improves the Natural Phytate Phosphorus Utilization of Laving Hens Fed a Corn-Sovbean Diet. Presentation at the 17th Annual Meeting of the Southern Poultry Science Society, January 22-23, in Atlanta, GA.
- Carlos, A.B., A.B. Kasim, and H.M. Edwards, Jr. 1996. Evaluation of the Responses to Graded Levels of Phytase in Broilers. Presentation at the 85th Annual Meeting of the Poultry Science Association, Inc., July 8-12, in Louisville, KY.
- R.W. Gordon, and D.A. Roland, Sr. 1996. Influence of Phytase on Calcium and Phosphorus Utilization in Commercial Laying Hens. Presentation at the 85th Annual Meeting of the Poultry Science Association, Inc., July 8-12, in Louisville, KY.

Other pages in this handbook contain more detailed information on these subjects. Permission is hereby granted to producers, growers, and associations serving the poultry industry to reproduce this material for further distribution. The Poultry Water Quality Consortium is a cooperative effort of industry and government to identify and adopt prudent uses of poultry by-products that will preserve the quality of water AT / 4 -- 9/98 for everyone.

POULTRY WATER QUALITY CONSORTIUM

6100 Building, Suite 4300 • 5720 Uptain Road • Chattanooga, TN 37411

Tel: 423 855-6470 • Fax: 423 855-6607

PHYTASE SUPPLEMENTS: A FEED ADDITIVE THAT IS GOOD FOR THE ENVIRONMENT

Case 4:05-cv-00329-GKF-PJC Document 1374-4 Filed in USDC ND/OK on 11/14/2007 Page 13 of 33

POULTRY WATER QUALITY CONSORTIUM 6100 Building, Suite 4300 5720 Uptain Road Chattanooga, TN 37411 Tel: 423 855-6470

Fax: 423 855-6607



POULTRY WATER QUALITY CONSORTIUM

The poultry industry and three government agencies have joined together to form the Poultry Water Quality Consortium to promote better environmental management by the rapidly growing poultry industry.

The Consortium encourages the use of poultry by-products as a resource rather than letting them become a pollution source. As the industry grows, protecting natural resources is becoming a major priority, demanding new technologies in poultry by-product development, storage, utilization, and land application.

The Consortium is responding to this environmental challenge by promoting cooperation and the exchange of information between the poultry industry and government agencies on water quality and by-product utilization issues. Focusing on pollution prevention, the Consortium will facilitate the development and transfer of new technologies designed to protect water quality and promote a clean environment.

Members of the Consortium

- ▼ U.S. Poultry & Egg Association
- ▼ Tennessee Valley Authority
- ▼ U.S. Environmental Protection Agency
- ▼ U.S. Department of Agriculture --Natural Resources Conservation Service

Contact

Larry Goff, Liaison Poultry Water Quality Consortium 6100 Building, Suite 4300 5720 Uptain Road Chattanooga, TN 37411 tel: 423 855-6470 fax: 423 855-6607

Other pages in this handbook contain more detailed information on these subjects. Permission is hereby granted to producers, growers, and associations serving the poultry industry to reproduce this material for further distribution. The Poultry Water Quality Consortium is a cooperative effort of industry and government to identify and adopt prudent uses of poultry by-products that will preserve the quality of water for everyone.

RI / 1 — 9/98

POULTRY WATER QUALITY CONSORTIUM
6100 Building, Suite 4300 • 5720 Uptain Road • Chattanooga, TN 37411
Tel: 423 855-6470 • Fax: 423 855-6607

URC



U.S. POULTRY AND EGG ASSOCIATION

ounded in 1947, the U.S. Poultry & Egg Association is the largest and most active poultry organization of its kind. Known as the "All-Feather Organization," the association addresses the changing needs of those involved in producing and processing poultry and eggs.

The U.S. Poultry & Egg Association is dedicated to the growth and development of the poultry industry and represents the entire industry — from the producers of eggs, broilers, and turkeys to the processors of poultry and egg products and the many allied companies serving the industry.

U.S. Poultry & Egg has a long-standing commitment to promoting continuous improvement in environmental management by the poultry industry.

Services Available to Poultry Growers

U.S. Poultry is best known for its annual International Poultry Exposition, held in January in Atlanta, Georgia. The Expo features the world's largest display of technology, equipment, and supplies used to produce and process poultry and egg products.

Continuing education is a high priority. The association's seminar program has expanded into a comprehensive schedule of workshops and clinics to keep the poultry industry informed. Twelve seminars are held each year.

Through its government relations program, U.S. Poultry and Egg keeps Congress and federal agencies aware of industry needs, and informs members of government actions.

The association's research program returns millions of dollars to the industry. Research grants are used to find better ways of producing poultry and egg products. Members are kept aware of industry developments through the distribution of newsletters, reports, and

Contact .

Don Dalton, President U.S. Poultry & Egg Association 1530 Cooledge Road Tucker, GA 30084 TEL: (770) 493-9401 FAX: (770) 493-9257

Other pages in this handbook contain more detailed information on these subjects. Permission is hereby granted to producers, growers, and associations serving the poultry industry to reproduce this material for further distribution. The Poultry Water Quality Consortium is a cooperative effort of industry and government to identify and adopt prudent uses of poultry by-products that will preserve the quality of water R1/2-9/98 for everyone.

POULTRY WATER QUALITY CONSORTIUM

6100 Building, Suite 4300 • 5720 Uptain Road • Chattanooga, TN 37411 Tel: 423 855-6470 • Fax: 423 855-6607



USDA NATURAL RESOURCES CONSERVATION SERVICE

The Natural Resources Conservation Service (NRCS), an agency within the U.S. Department of Agriculture (USDA), administers national soil and water conservation programs with the cooperation of landowners and operators in local soil conservation districts and other government agencies. It has traditionally provided technical and financial assistance to the U.S. agricultural community to help individuals plan, design, and implement waste management systems and other conservation projects. In addition, NRCS offers education, research, and database development.

The NRCS focuses on nonpoint source pollution and its effects on soil, water, air, plants, animals, and people. Potential agricultural contaminants include pesticide residues, nutrients, salts, trace minerals, and sediment. To help the agricultural community treat or prevent water quality problems, NRCS promotes economically feasible and practical measures, such as the environmentally safe management of dead birds, litter, and manure; the development of nutrient management plans; and the construction of litter storage facilities.

NRCS also encourages voluntary approaches to solving resource problems as it works to insure a continuing exchange of information.

Services Available to Poultry Growers

Through its conservation practices, the NRCS provides planning, design, and construction assistance on waste treatment lagoons, manure and litter dry-stacking facilities, poultry mortality facilities, management, and nutrient management plans based on soils, crops, and equipment availability. It also serves as technical representative for USDA cost-share programs to implement nutrient and poultry mortality management systems and, in some cases, provides financial as well as technical assistance in special project areas. The NRCS works closely with state regulatory agencies in waste management.

Contact

For more information about NRCS programs and assistance, call or visit the NRCS office listed in your local telephone directory under U.S. Department of Agriculture.

Other pages in this handbook contain more detailed information on these subjects. Permission is hereby granted to producers, growers, and associations serving the poultry industry to reproduce this material for further distribution. The Poultry Water Quality Consortium is a cooperative effort of industry and government to identify and adopt prudent uses of poultry by-products that will preserve the quality of water RI / 3 — 9/98

POULTRY WATER QUALITY CONSORTIUM
6100 Building, Suite 4300 • 5720 Uptain Road • Chattanooga, TN 37411.
Tel: 423-855-6470 • Fax: 423-855-6607

PIGEON.0746





TENNESSEE VALLEY AUTHORITY

The Tennessee Valley Authority (TVA) is committed to develop and implement programs and activities that will assist agriculture and agribusiness to protect the environment. Protecting water quality is a major concern of TVA, as illustrated by its ongoing projects related to nonpoint source protection.

TVA has established close ties with federal and state agencies, universities, and private organizations concerned with water resources management and nonpoint source control and, therefore, is in an excellent position to identify, demonstrate, and transfer poultry by-product resources technology to potential users.

Services Available to Poultry Growers

TVA's programs and projects primarily deal with helping prevent or reduce impacts of the poultry industry on the environment. This service is accomplished through educational workshops and demonstrations in cooperation with other federal and state agencies.

Contact

Richard Strickland Tennessee Valley Authority P.O. Box 1010 Muscle Shoals, AL 35662-1010 Tel: (205) 386-2542 Fax: (205) 386-2542

Other pages in this handbook contain more detailed information on these subjects. Permission is hereby granted to producers, growers, and associations serving the poultry industry to reproduce this material for further distribution. The Poultry Water Quality Consortium is a cooperative effort of industry and government to identify and adopt prudent uses of poultry by-products that will preserve the quality of water for everyone.

POULTRY WATER QUALITY CONSORTIUM
6100 Building, Suite 4300 • 5720 Uptain Road • Chattanooga, TN 37411
Tel: 423 855-6470 • Fax: 423 855-6607





U.S. Environmental Protection Agency

The U.S. Environmental Protection Agency (EPA) is dedicated to improving and preserving the quality of the environment and reducing risks to human health and the environment. Point and nonpoint sources of pollution are addressed under the Clean Water Act.

Certain poultry production, processing and rendering plants are regulated as point sources and may be required to obtain a permit. However, many of EPA's efforts to prevent or reduce water pollution associated with poultry byproducts involve nonpoint source pollution. EPA helps states develop their nonpoint source assessments and management programs and provides assistance to implement nonpoint source control practices.

EPA believes the Poultry Water Quality Consortium will lead to greater cooperation between the poultry industry and government agencies on water quality and by-product utilization, thus reducing environmental and health risks and benefiting agriculture and the larger community.

Services Available to Poultry Growers

EPA administers a variety of nonpoint source control programs to address animal waste problems associated with smaller operations.

Currently, funds are provided to states under section 319(h) of the Clean Water Act to help them implement nonpoint source management programs including, for example, demonstrations of poultry composting facilities or development of educational manuals or regulations to address poultry by-products. EPA provides assistance to states to implement nonpoint source controls under other programs such as the Chesapeake Bay Program, the Gulf of Mexico Program, and the Clean Lakes Program.

Contacts

The U.S. Environmental Protection Agency, headquartered in Washington, DC, operates 10 regional offices.

U.S. EPA, Region 1 (CT, MA, ME, NH, RI, VT) John F. Kennedy Federal Building One Congress Street Boston, MA 02203 TEL: (617) 565-3420 FAX: (617) 565-3660

U.S. EPA, Region 2

(NJ, NY, PR, VI) 290 Broadway New York, NY 10007 TEL: (212) 637-3000 FAX: (212) 637-3526

U.S. EPA, Region 3

(DC, DE, MD, PA, VA, WV) 841 Chestnut Building Philadelphia, PA 19107 TEL: (215) 566-5000 FAX: (215) 566-5103

U.S. EPA, Region 4

(AL, FL, GA, KY, MS, NC, SC, TN) 61 Forsyth Street, SW Atlanta, GA 30303 TEL: (404) 562-9900 FAX: (404) 562-8174

U.S. EPA, Region 5

(IL, IN, MI, MN, OH, WI) 77 W. Jackson Boulevard Chicago, IL 60604 TEL: (312) 353-2000 FAX: (312) 353-4135

U.S. EPA, Region 6

(AR, LA, NM, OK, TX) 1445 Ross Avenue, Suite 1200 Dallas, TX 75202-2733 TEL: (214) 665-6444 FAX: (214) 665-2146

U.S. EPA, Region 7

(IA, KS, MO, NE) 726 Minnesota Avenue Kansas City, KS 66101 TEL: (913) 551-7000 FAX: (913) 551-7467

U.S. EPA, Region 8

(CO, MT, ND, SD, UT, WY) 999 18th Street, Suite 500 Denver, CO 80202-2466 TEL: (303) 312-6312 FAX: (303) 312-6339

U.S. EPA, Region 9

(AS, AZ, CA, GU, HI, MP, NV, TT) 75 Hawthome Street San Francisco, CA 94105 TEL: (415) 744-1305 FAX: (415) 744-1514

U.S. EPA, Region 10

(AK, ID, OR, WA) 1200 Sixth Avenue Seattle, WA 98101-9797 TEL: (206) 553-1200 FAX: (206) 553-0149

U.S. EPA, Headquarters

Office of Water 401 M Street, SW Washington, DC 20460 TEL: (202) 260-5700 FAX: (202) 260-5711

Other pages in this handbook contain more detailed information on these subjects. Permission is hereby granted to producers, growers, and associations serving the poultry industry to reproduce this material for further distribution. The Poultry Water Quality Consortium is a cooperative effort of industry and government to identify and adopt prudent uses of poultry by-products that will preserve the quality of water for everyone.

POULTRY WATER QUALITY CONSORTIUM 6100 Building, Suite 4300 • 5720 Uptain Road • Chattanooga, TN 37411

Tel: 423 855-6470 • Fax: 423 855-6607



DIRECTORY OF POULTRY ASSOCIATIONS STATE, REGIONAL, AND NATIONAL

The following state, regional, and national organizations are listed in alphabetical order. The organizations in most states are therefore listed together; however, if you are looking for a particular association, please consult the entire list. The Wilkes Area Poultry Association, for example, is listed under W, not under North Carolina. We hope that we have not inadvertently omitted or incorrectly identified any organization or its address. This material will be updated from time to time.

ALABAMA POULTRY & EGG ASSOCIATION

P.O. Box 240

Montgomery, AL 36104-0240

TEL: (334) 265-2732

FAX: (334) 265-0008

John Q. Adams, Executive Director www.johnnyadams@apend_link.net

ALASKA DIVISION OF AGRICULTURE

P.O. Box 949

Palmer, AK 99645

TEL: (907) 745-7200

FAX: (907) 745-7112

Doug Warner, Development Specialist

Douglasw@dnr.state.ak.us

AMERICAN EGG BOARD

1460 Renaissance Drive

Park Ridge, IL 60068

TEL: (847) 296-7043

FAX: (847) 296-7007

Louis Raffel, President

www.aeb.org

AMERICAN POULTRY ASSOCIATION

26363 South Tucker Road

Estacada, OR 97023

TEL: (508) 473-8769

Karen Poor

ARIZONA POULTRY IMPROVEMENT BOARD

37860 West Smith

Enke Road

Maricopa, AZ 85239

TEL: (520) 568-2273

FAX: (520) 568-2556

Dr. Ed Bicknell

ARIZONA POULTRY FEDERATION

c/o Hickman's Egg Ranch

7403 North 91st Avenue

Glendale, AZ 85305

TEL: (602) 872-1120

FAX: (602) 872-9220

Glenn Hickman, Director

ARKANSAS POULTRY FEDERATION

P.O. Box 1446

Little Rock, AR 72203-1446

TEL: (501) 375-8131

FAX: (501) 375-5519

Don Allen, Senior Vice President

CALIFORNIA EGG COMMISSION

1150 North Mountain Avenue

Suite 114

Upland, CA 91786

TEL: (909) 981-4923

FAX: (909) 946-5563

Robert D. Pierre, President

www.eggcom.com

CALIFORNIA POULTRY INDUSTRY

FEDERATION

3117 A McHenry Avenue

Modesto, CA 95350

TEL: (209) 576-6355

FAX: (209) 576-6119

Bill Mattos, President

http://www.cpif.org

COLORADO POULTRY IMPROVEMENT BOARD

4816 E County Road, #30

Ft Collins, CO 80525

TEL: (970) 226-3680

William C. Lower, Secretary/Treasurer

M ESOURCE

CONNECTICUT POULTRY ASSOCIATION

Department of Agriculture 165 South Capitol Avenue Hartford, CT 06106 TEL: (203) 566-5268 FAX: (203) 566-8791

Director, Bruce Sherman

DELAWARE POULTRY IMPROVEMENT ASSOCIATION

RD 6, Box 48 Georgetown, DE 19947

TEL: (302) 856-7303 FAX: (302) 856-1845

Daniel Palmer, Poultry Specialist

39976@udel.edu

DELMARVA POULTRY INDUSTRY, INC.

RD 6, Box 47

Germantown, DE 19947-9575

TEL: (302) 856-9037 FAX: (302) 856-1845

Bill Satterfield, Executive Director

FLORIDA POULTRY FEDERATION

4508 Oak Fair Boulevard, Suite 290

Tampa, FL 33610 TEL: (813) 628-4551 FAX: (813) 620-4008

Charles R.Smith, Executive Director

GEORGIA EGG ASSOCIATION & COMMISSION

16 Forest Parkway Forest Park, GA 30297 TEL: (404) 363-7661

FAX: (404) 363-7664

Robert Howell, Executive Director

GEORGIA POULTRY FEDERATION

P.O. Box 763

Gainesville, GA 30503-0763

TEL: (770) 532-0473 FAX: (770) 532-7543

Abit Massey, Executive Director

GEORGIA POULTRY IMPROVEMENT ASSOCIATION

P.O. Box 20

Oakwood, GA 30566

TEL: (770) 535-5996 FAX: (770) 539-1948

James Scroggs, Director

HAWAII FRYER COUNCIL

1818 Kanakanui Street Honolulu, HI 96819 TEL: (808) 841-2828 E.F. Morado, President

HAWAII EGG PRODUCERS ASSOCIATION

841 Bishop Street, Suite 850 Honolulu, HI 96813 TEL: (808) 522-5133 FAX: (808) 522-5144

Vernon Char, Attorney

IDAHO POULTRY INDUSTRY

c/o Merrill Poultry Farms, Inc.

Rt. 2, Box 2184

Paul, ID 83347

TEL: (208) 438-4605

FAX: (208) 438-8694

Lloyd Merrill, President

ILLINOIS POULTRY INDUSTRY COUNCIL

282 Animal Science Lab

1207 West Gregory

Urbana, IL 61801

TEL: (217) 244-0195

FAX: (217) 333-7861

Kenneth W. Koelkebeck, Executive Secretary

ILLINOIS STATE TURKEY GROWERS

ASSOCIATION

9193 Tampico Road

Rock Falls, IL 61071 TEL: (815) 438-2580

Merle Gaulrapp, Director

IOWA POULTRY ASSOCIATION

535 East Lincoln Way

P.O. Box 704

Ames, Ia 50010-0704

TEL: (515) 232-2103

FAX: (515) 232-2825

Kevin Vinchattle, Executive Director

IOWA TURKEY FEDERATION

P.O. Box 825

Ames, LA 50010-0825

TEL: (515) 232-7493

FAX: (515) 232-2825

Gretta Irwin, Executive Director

KANSAS POULTRY ASSOCIATION & KANSAS TURKEY FEDERATION

Kansas State University

Department of Animal Science

130 Call Hall

Manhattan, KS 66506

TEL: (913) 532-1201

FAX: (913) 532-5681

John Miller, President

sveyer@oz.oznet.ksu.edu

KENTUCKY POULTRY FEDERATION/EGG COUNCIL

P.O. Box 21829

Lexington, KY 40522-1829

TEL: (606) 266-8375

FAX: (606) 266-8375

Carole Knobbett, Executive Director

KENTUCKY POULTRY IMPROVEMENT

ASSOCIATION 604 Garrigus Building

Lexington, KY 40546

TEL: (606) 257-7529

FAX: (606) 258-1027

Anthony Pescatore

Page 21 of 33

ORMA ESOURCE

LOUISIANA POULTRY FEDERATION

241 Knapp Hall Louisiana State Univesity Baton Rouge, LA 70803

TEL: (504) 388-8667

FAX: (504) 388-2478

Rosilyn Williams, Poultry Specialist

rwilliams@agctr.lsu.edu

MAINE POULTRY FEDERATION

P.O. Box 228

Augusta, ME 04330-0228

TEL: (207) 622-4443

FAX: (207) 623-3748

William Bell, Executive Director

newengag@mint.net

MARYLAND EGG COUNCIL, INC.

3109 Animal Science Center University of Maryland College Park, MD 20742

-TEL: (301) 405-5775

FAX: (301) 314-9557

Dr. John Doerr, Chairman

MASSACHUSETTS POULTRY ASSOCIATION

22 Kimball Place

Fitchburg, MA 01420

TEL: (508) 345-4103

FAX: (508) 345-7187

Richard Francis, Director of Operations

MIDWEST POULTRY FEDERATION & MINNESOTA TURKEY GROWERS ASSN.

2380 Wycliff Street

St Paul MN 55114

TEL: (612) 646-4553

FAX: (612) 646-4554

Jodi Day, Executive Director

mnturkey@aol.com

MIDWEST UNITED EGG PRODUCERS

P.O. Box 170

124 North Second Street

Eldridge, IA 52748

TEL: (319) 285-9100

FAX: (319) 285-9109

Gerald Weber, President

MISSISSIPPI POULTRY ASSOCIATION, INC.

P.O. Box 13309

Jackson, MS 39236-3309

TEL: (601) 355-0248

FAX: (601) 353-3840

Mike McAlpin, President

MISSOURI POULTRY FEDERATION

225 East Capital

Jefferson City, MO 65101

TEL: (573) 761-5610

FAX: (573) 761-5619

JoAnn Manhart, Executive Director

NATIONAL BROILER COUNCIL

The Madison Building, Suite 615

1155 15th Street, N.W.

Washington, DC 20005-2706

TEL: (202) 296-2622

FAX: (202) 293-4005

NATIONAL GOOSE COUNCIL, INC.

7 Oak Street West, P.O. Box 267

Sisseton, SD 57262-0267

TEL: (605) 698-7651

Marlin Schiltz, President

NATIONAL INDEPENDENT POULTRY & FOOD DISTRIBUTORS ASSN.

958 McEver Rd., Ext. B5

Gainesville, GA 30554

TEL: (770) 535-9901

FAX: (770) 535-7385

Kristin McWhorter Braun, Executive Director

NATIONAL TURKEY FEDERATION

1225 New York Avenue NW, Suite 400

Washington, DC 20005

TEL: (202) 898-0100

FAX: (202) 898-0203

Stuart L. Procter, President

NEBRASKA POULTRY IMPROVEMENT ASSOCIATION

A 103 Animal Sciences

Univesity of Nebraska

P.O. Box 830908

Lincoln, NE 68583-0908

TEL: (402) 472-2051

FAX: (402) 472-6362

Susan S. Joy, General Manager

NEW HAMPSHIRE POULTRY GROWERS

ASSOCIATION

20 Goodhue Road

Boscawen, NH 03303

TEL: (603) 796-2890

NEW YORK STATE POULTRY COODNINATED

EFFORT, INC.

5411 Davison Road

Clerance, NY 14031

TEL: (716) 759-6802

Kurt Kreher, President

NORTH CAROLINA EGG ASSOCIATION

1150 SE Maynard Rd., Suite 130

Cary, NC 27511

TEL: (919) 319-1195

FAX: (919) 319-1196

Jan Dorsey, Executive Director

NORTH CAROLINA POULTRY FEDERATION & TURKEY FEDERATION

4020 Barrett Drive, Suite 102

Raleigh, NC 27609

TEL: (919) 783-8218

FAX: (919) 783-8220

Ed Woodhouse, Executive Director

DIRECTORY OF POULTRY ASSOCIATIONS 3

FOR M SOURCE

NORTHWEST EGG PRODUCERS COOPERATIVE ASSOCIATION

540 Kenneth Court SE Olympia, WA 98503 TEL: (360) 412-0662

FAX: (360) 412-0665 Helen Tomicic, Regional Manager

OHIO POULTRY ASSOCIATION

5930 Sharon Wood Blvd. Columbus, OH 43229

TEL: (614) 882-6111 FAX: (614) 882-9444

Jack Heavenridge, Executive Vice President

OKLAHOMA EGG COUNCIL

201 Animal Science Building

Stillwater, OK 74078 TEL: (405) 744-6058 FAX: (405) 744-7390

Joe Berry, Poultry Specialist

OKLAHOMA STATE POULTRY FEDERATION

P.O. Box 1446

Little Rock, AR 72203 TEL: (501) 375-8131

FAX: (501) 375-5519 Randy Wyatt, Contact

OREGON BROILER GROWERS ASSOCIATION

Shady Oak Farm

84380-N Cloverdale Road

Creswell, OR 97426-9431

TEL: (503) 746-2074

Shirley McGuire, Secretary

David Johnson, President

OREGON POULTRY INDUSTRIES COUNCIL

P.O. Box 3003

Portland, OR 97208-3003

TEL: (503) 777-1320 FAX: (503) 777-2373

Steven Wagner, President

PENNSYLVANIA POULTRY FEDERATION

500 North Progress Avenue

Harrisburg, PA 17109

TEL: (717) 652-7530

FAX: (717) 652-0230

John D. Hoffman, Executive Director

SOUTH CAROLINA POULTRY FEDERATION

1201 Main Street, Suite 1220

AT&T Building

Columbus, SC 29201

TEL: (803) 748-1283

FAX: (803) 748-1294

Connie P. Smith, Executive Director

SOUTH DAKOTA POULTRY INDUSTRY

P.O. Box 2170

Brookings, SD 57007

TEL: (605) 688-5165

FAX: (605) 688-6170

Wendall Carlson, Secretary/Treasurer

u.s. poultry & egg association

1530 Cooledge Road

Tucker, GA 30084-7303

TEL: (770) 493-9401 i

FAX: (770) 493-9257

Don Dalton, President

Internet: http://www.poultryegg.org

SOUTHERN UNITED EGG PRODUCERS

P.O. Box 556

Tucker, GA 30085

TEL: (770) 491-1120

FAX: (770) 491-1145

David Reesman, President

TENNESSEE EGG & POULTRY ASSOCIATION

P.O. Box 11082

Knoxville, TN 37939-1082

TEL: (423) 974-7351

FAX: (423) 974-9043

Dr. Carolyn Miller, President

TENNESSEE POULTRY IMPROVEMENT

BOARD, INC

P.O. Box 40627, Melrose Station

Nashville, TN 37204

TEL: (615) 837-5120

FAX: (615) 837-5335

Mark Farrar, Administrator

TEXAS POULTRY FEDERATION

8140 Burnet Road

P.O. Box 9589

Austin, TX 78766-9589

TEL: (512) 451-6816

FAX: (512) 451-5142

James Grimm, Executive Director

UNITED EGG ASSOCIATION

One Massachusetts Avenue, NW, Suite 800

Washington, DC 20001

TEL: (202) 842-2345

FAX: (202) 682-0775

Christine Nelson, Legislative Director

UNITED EGG PRODUCERS

1303 Hightower Trail, Suite 200 Atlanta, GA 30350

TEL: (770) 587-8571

FAX: (770) 587-0041

Al Pope, President

USA POULTRY & EGG EXPORT COUNCIL

2300 West Park Place Boulevard, Suite 100

Stone Mountain, GA 30087

TEL: (770) 413-0006

FAX: (770) 413-0007

James Sumner, President

UTAH TURKEY MARKETING BOARD

P.O. Box 368

Moroni, UT 84646

TEL: (801) 436-8221

FAX: (801) 436-8101

Dave Bailey, President

FOR OURCE

VERMONT POULTRY IMPROVEMENT BOARD

116 State Street

Drawer 20

Montipelier, VT 05620-2901

TEL: (802) 828-2500

FAX: (802) 828-2361

Russell Lassocky, Director

VIRGINIA EGG COUNCIL, INC.

911 Saddleback Court

McLean, VA 22102

TEL: (703)790-1984

FAX: (703) 821-6748

Cecilia Glembock, Executive Director

VIRGINIA POULTRY FEDERATION

P.O. Box 552

Harrisonburg, VA 22801

TEL: (540) 433-2451

FAX: (540) 433-3256

John Johnson, President

WASHINGTON POULTRY INDUSTRY ASSOCIATION

P.O. Box 370

Rochester, WA 98579

TEL: (360) 273-5984

FAX: (360) 273-6901

Rod Smart, President

WASHINGTON POULTRY IMPROVEMENT ASSOCIATION

3825 154 Avenue, NE

Redmond, WA 98052 TEL: (206) 885-1414

FAX: (206) 885-3305

Tony Blanch, Secretary/Treasurer

WEST VIRGINIA POULTRY ASSOCIATION

P.O. 612

Moorefield, WV 26836-0612

TEL: (304) 538 2725

Grover See, Executive Secretary

WILKES AREA POULTRY ASSOCIATION

541 Gaither Road

Statesville, NC 28625

TEL: (704) 872-6227

FAX: (704)872-1452

. Jim Sutton, Chairman

WISCONSIN POULTRY IMPROVEMENT ASSOCIATION

260 Animal Science Building 1675 Observatory Drive

Madison, WI 53706-1248

TEL: (608) 262-9764

FAX: (608) 262-5157

Louis C. Arrington, Professor

Other pages in this handbook contain more detailed information on these subjects. Permission is hereby granted to producers, growers, and associations serving the poultry industry to reproduce this material forfurther distribution. The Poultry Water Quality Consortium is a cooperative effort of industry and government to identify and adopt prudent uses of poultry by-products that will preserve the quality of water RI / 6 --- 9/98 for everyone.

POULTRY WATER QUALITY CONSORTIUM

6100 Building, Suite 4300 • 5720 Uptain Road • Chattanooga, TN 37411

Tel: 423 855-6470 • Fax: 423 855-6607

DIRECTORY OF POULTRY ASSOCIATIONS

PIGEON.0754



OTHER SUPPORTING USDA AGENCIES

Farm Service Agency

The USDA's Farm Service Agency supports the U.S. agricultural community through commodity programs, farmer operating and emergency loans, conservation, domestic and overseas food assistance and disaster programs that improve the economic stability of agriculture and the environment. These programs help farmers produce an adequate food supply, compete for export sales, and keep consumer prices reasonable while caring for the environment and natural resources.

The Farm Service Agency's mandate is to assure a continuous supply of food and fiber for all Americans, and to promote sound resource management systems. As part of this mandate, it works with poultry producers to share the costs of solving erosion and water quality problems that result from nonpoint source pollution.

Services Available to Growers

The Farm Service Agency administers low-cost loans and cost-share programs. Under the latter, it is authorized to share with producers up to 60 percent of the cost of some conservation practices, including the building waste storage facilities such as lagoons, dry-stacks, and composting units.

Contact

For more information about cost-share programs, call or visit the FSA office listed in your telephone directory.

Cooperative State Research, Education, and Extension Service

The Cooperative State Research, Education and Extension Service (CSREES) links the research and education programs of the USDA and works with land-grant institutions to advance a global system of research, extension, and higher education in the food and agricultural sciences. Its overall mission emphasizes partnerships with the public and private sectors to maximize effectiveness and to improve economic, environmental, and social conditions in the United States.

Services Available to Growers

Educational programs to protect natural resources and the environment, to manage waste efficiently, and to deal with water quality are included in the national priority initiatives of the State Cooperative Research, Education, and Extension System. The Service (which is probably better known simply as Cooperative Extension) is internationally known as a leader in providing community access to research and education. Its publications are widely available and many of them are on the Internet.

Contact

For more information about the Cooperative State Research, Education, and Extension Service, call or visit the CSREES office listed in your telephone directory under local government.

Other pages in this handbook contain more detailed information on these subjects. Permission is hereby granted to producers, growers, and associations serving the poultry industry to reproduce this material for further distribution. The Poultry Water Quality Consortium is a cooperative effort of industry and government to identify and adopt prudent uses of poultry by-products that will preserve the quality of water for everyone.

RI / 7 — 9/98

POULTRY WATER QUALITY CONSORTIUM

6100 Building, Suite 4300 • 5720 Uptain Road • Chattanooga, TN 37411

Tel: 423 855-6470 • Fax: 423 855-6607



DIRECTORY OF STATE WATER QUALITY AGENCIES

ALABAMA SOIL & WATER CONSERVATION COMMITTEE

P.O. Box 304800

Montgomery, AL 36130-4800

TEL: (334) 242-2620

FAX: (334)242-0551

Stephen Cauthen, Executive Director

ALABAMA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

1751 Cong., W.L. Dickerson Drive

Montgomery, AL 36109

TEL: (337) 271-7700

FAX: (337) 271-7950

Jim Warr, Director

ALASKA DEPARTMENT OF NATURAL RESOURCES

Department of Agriculture

P.O. Box 949

Palmer, AK 99645-0949

TEL: (907) 745-7200

FAX: (907) 745-7112

Jalmar Kerttula, Director

ALASKA DEPARTMENT OF ENVIRONMENTAL CONSERVATION

410 Willoughby Avenue, Suite 105

Juneau, AK 99801-1795

TEL: (907) 465-5000

FAX: (907) 465-5274

Michele Brown, Commissioner

arizona soil & water conservation **AGENCY**

Natural Resource Conservation Division

1616 West Adams, Room 419

Phoenix, AZ 85007

TEL: (602) 542-4625

FAX: (602) 542-4668

Robert Young, Director

ARIZONA DEPARTMENT OF ENVIRONMENTAL QUALITY

3033 N. Central Avenue

Phoenix, AZ 85012

TEL: (602) 207-4512

FAX: (602) 207-2218

Russell T. Rhoades, Director

ARKANSAS SOIL & WATER CONSERVATION COMMISSION

101 E. Capitol, Suite 350

Little Rock, AR 72201

Phone (501) 682-1611

FAX: (501) 682-3991

Randy Young, Executive Director

CALIFORNIA SOIL & WATER CONSERVATION AGENCY

P.O. Box 944213

Sacramento, CA 94244-2130

Phone (916) 657-0687

FAX: (916) 657-2388

Jesse Diaz, Chief

CALIFORNIA STATE WATER RESOURCES CONTROL BOARD

P.O. Box 100

Sacramento, CA 95812-0100

TEL: (916) 657-1727

FAX: (916) 657-0932

Walt Pettit, Executive Director

COLORADO STATE SOIL CONSERVATION BOARD

1313 Sherman Street, Room 219

Denver, CO 80203-2243

TEL: (303) 866-3351

FAX: (303) 832-8106

Daniel Parker, Division Director

COLORADO WATER QUALITY AGENCY

Water Quality Control Division

300 Cherry Creek South

Denver, CO 80222

TEL: (303) 692-3500

FAX: (303) 782-0390

CONNECTICUT DEPARTMENT OF ENVIRONMENTAL PROTECTION

79 Elm Street

Hartford, CT 06106

TEL: (860) 424-3704

FAX: (860) 424-4067

Robert Smith, Bureau Chief

DELAWARE DEPARTMENT OF NATURAL RESOURCES & ENVIRONMENTAL CONTROL

Division of Water Resources 89 Kings Highway, Box 1401 Dover, DE 19903 TEL: (302) 739-4860 FAX: (302) 739-3491 Gerard L. Espasito, Director

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

2600 Blair Stone Road Tallahassee, FL 32399-2400 TEL: (904) 487-1855 FAX: (904) 487-3618 Memi Drew, Director

GEORGIA STATE SOIL & WATER CONSERVATION COMMISSION

P.O. Box 8024 Athens, GA 30603 TEL: (706) 542-3065 FAX: (706) 542-4242 Graham Liles, Executive Director

GEORGIA WATER QUALITY MANAGEMENT PROGRAM

7 Martin Luther King Drive, Suite 643 Atlanta, GA 30334 TEL: (404) 656-4988 FAX: (404) 657-7031 Mark Winn, Program Manager

HAWAII DIVISION OF WATER RESOURCE MANAGEMENT

P.O. Box 621 Honolulu, HI 96809 TEL: (808)-587-0214 FAX: (808) 587-0219 Rae Loui, Deputy Director

HAWAII DIVISION OF ENVIRONMENTAL PLANNING

919 Ala Moana Blvd., 3rd Floor Honolulu, HI 96814 TEL: (808) 586-4337 FAX: (808) 586-4376 June Garrigan, Manager

IDAHO SOIL CONSERVATION COMMISSION

P.O. Box 83720

Boise, ID 83720-0083

TEL: (208) 334-0210

FAX: (208) 334-2339

Wayne R. Faude, Administrator

IDAHO DIVISION OF ENVIRONMENTAL QUALITY

1410 N. Hilton Boise, ID 83706 TEL: (208) 373-0502 FAX: (208) 373-0417 Wally Cory, Administrator

ILLINOIS DEPARTMENT OF AGRICULTURE

P.O. Box 19281 State Fairgrounds Springfield, IL 62794-9281 TEL: (217) 782-6297 FAX: (217) 524-4882 Alan Gualso, Water Quality Coordinator.

ILLINOIS DIVISION OF WATER POLLUTION CONTROL

Box 19276 2200 Churchill Road Springfield, IL 62794 TEL: (217) 782-3362 Fax:(217) 782-5549 Jim Park, Bureau Chief

INDIANA DEPARTMENT OF NATURAL RESOURCES

Division of Soil Conservation 402 W. Washington Street, Room 265W Indianapolis, IN 46204 TEL: (317) 233-3870 FAX: (317) 233-3882 Harry Nikides, Director

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

100 Senate, P.O. Box 6015 Indianapolis, IN 46206-6015 TEL: (317) 232-8406 FAX: (317) 232-8476 Jan Henley, Assistant Commissioner

IOWA DIVISION OF SOIL CONSERVATION

Wallace State Office Building Des Moines, IA 50319 TEL: (515) 281-6143 FAX: (515) 281-6170 Jim Gulliford, Division Director

IOWA DEPARTMENT OF NATURAL RESOURCES

Water Quality Planning Division 502 E. 9th Street Des Moines, IA 50319-0034 TEL: (515) 281-5145 FAX: (515) 281-8895 Larry Wilson, Director

KANSAS STATE CONSERVATION COMMISSION

109 S.W. Ninth Street, Suite 500 Topeka, KS 66612-1200 TEL: (913) 296-3600 FAX: (913) 296-6172 Tracy Street, Executive Director

KANSAS DEPARTMENT OF HEALTH & ENVIRONMENT

Landon State Office Building, Room 620 Topeka, KS 66612-1290 TEL: (585) 296-1522 FAX: (785) 368-6368 Gary R. Mitchell, Secretary

KENTUCKY SOIL & WATER CONSERVATION COMMISSION

663 Teton Trail

Frankfort, KY 40601

TEL: (502) 564-3080

FAX: (502) 564-9195

Stephen Coleman, Director

KENTUCKY DIVISION OF WATER-NONPOINT SOURCES

14 Reilly Road

Frankfort, KY 40601

TEL: (502) 546-3410

FAX: (502) 564-4245

Jack A. Wilson, Director

LOUISIANA DEPARTMENT OF AGRICULTURE & FORESTRY

Office of Soil & Water Conservation

P.O. Box 3554

Baton Rouge, LA 70821-3554

TEL: (504) 922-1270

FAX: (504) 922-2577

Bradley Spicer, Executive Director

LOUISIANA DEPARTMENT OF ENVIRONMENTAL QUALITY

P.O. Box 82263

Baton Rouge, LA 70884-2263

TEL: (504) 765-0741

FAX: (504) 765-0746

J. Dale Givens, Secretary

MAINE DEPARTMENT OF AGRICULTURE, FOOD & RURAL RESOURCES

State House Station 28

Augusta, ME 04333

TEL: (207) 287-1132

FAX: (207) 287-7548

Peter Mosher, Director

MAINE BUREAU OF LAND & WATER QUALITY CONTROL

Department of Environmental Protection

State House Number 17

Augusta, ME 0433.

TEL: (207) 287-3901

FAX: (207) 287-7191

Martha Kirkpatrick, Director

MARYLAND STATE SOIL & WATER CONSERVATION COMMITTEE

Maryland Department of Agriculture

Annapolis, MD 21401

TEL: (410) 841-5863

FAX: (410) 841-5914

Louise Lawrence, Executive Director

MARYLAND DEPARTMENT OF THE

ENVIRONMENT

Watershed Management Administration

2500 Broening Highway

Baltimore, MD 21224

TEL: (410) 631-3552

FAX: (410) 613 3888

Jan Nishida, Secretary

MASSACHUSETTS STATE COMMISSION FOR

THE CONSERVATION OF SOIL

100 Cambridge Street, 14th Floor

Boston, MA 02202

TEL: (617) 727-1552

FAX: (617) 727-1598

Joel Learner, Director

MASSACHUSETTS DEPARTMENT OF

ENVIRONMENTAL PROTECTION

1 Winter Street

Boston, MA 02108

TEL: (617) 292-5500

FAX: (617) 556-1049

Dave Terry, Director

MICHIGAN DEPARTMENT OF AGRICULTURE

P.O. Box 30017

Lansing, MI 48909

TEL: (517) 373-1052

FAX: (517) 335-1423

Dan Wyant, Director

MICHIGAN DEPARTMENT OF NATURAL

RESOURCES

Surface Water Quality Division

P.O. Box 30273

Lansing, MI 48909

TEL: (517) 373-2867

FAX: (517) 373-9958

Bob Miller, Chief

MINNESOTA BOARD OF WATER & SOIL RESOURCES

1 West Water Street

Suite 200

St. Paul, MN 55107

TEL: (612) 296-3767

FAX: (612) 297-5615

Ron Harneck, Executive Director

MINNESOTA POLLUTION CONTROL AGENCY

520 Lafayette Road

St.Paul,MN 55155

TEL: (612) 296-6300

EAX: (612) 297-8687

Peter Larson, Commissioner

MISSISSIPPI SOIL & WATER CONSERVATION COMMISSION

P.O. Box 23005

Jackson, MS 39225-3005

TEL: (601) 354-7645

FAX: (601) 354-6628

Gale Martin, Executive Director

DIRECTORY OF STATE WATER QUALITY AGENCIES

NFORMATION C

MISSISSIPPI DEPARTMENT OF **ENVIRONMENTAL QUALITY**

P.O. Box 10385 Jackson, MS 39289-0385

TEL: (601) 961-5171

FAX: (601) 354-6612

J.I. Palmer Jr., Executive Director

MISSOURI DEPARTMENT OF NATURAL RESOURCES

P.O: Box 176

Jefferson City, MO 65102

TEL: (573) 751-4932

FAX: (573) 526-3508

Sarah Fast, Director

MONTANA DEPARTMENT OF NATURAL RESOURCES AND CONSERVATION

P.O. Box 201601, 1625 Eleventh Avenue

Helena, MT 59620-1606

TEL: (406) 444-6667

FAX: (406) 444-6721

John Tubbs, Bureau Chief

MONTANA DEPARTMENT OF HEALTH AND ENVIRONMENTAL QUALITY

1530 E. 6th Avenue

Helena, MT 59620-0901

TEL: (406) 444-2406

FAX: (406) 444-1374

Mark Simonick, Director

NEBRASKA NATURAL RESOURCES COMMISSION

301 Centennial Mall South, P.O. Box 94876

Lincoln, NE 68509-4876

TEL: (402) 471-2081

FAX: (402) 471-3132

· Dayle Williamson, Director

NEBRASKA DEPARTMENT OF **ENVIRONMENTAL QUALITY**

P.O. Box 98922

Lincoln, NE 68509

TEL: (402) 471-2186

FAX:(402) 471-2909

Randy Wood, Director

NEVADA STATE DIVISION OF CONSERVATION DISTRICTS

333 W. Nye Lane, Room 126

Carson City, NV 89710

TEL: (702) 687-6977

FAX: (702) 687-3783

Pete Morris, Director

NEVADA DEPARTMENT OF CONSERVATION & **NATURAL RESOURCES**

333 W. Nye Lane

Carson City, NV 89706-0851

TEL: (702) 687-4670

FAX: (702) 687-5856

L.H. Dodgin, Administrator -

NEW HAMPSHIRE DEPARTMENT OF AGRICULTURE

P.O. Box 2042

Concord, NH 03302-2042

TEL: (603) 271-3551

FAX: (603) 271-1109

Stephen H. Taylor, Commissioner

NEW HAMPSHIRE DEPARTMENT OF **ENVIRONMENTAL SERVICES**

P.O. Box 95

6 Hazen Drive-

Concord, NH 03302-0095

TEL: (603) 271-3503

FAX: (603) 271-2867

Robert W. Varney, Commissioner

NEW JERSEY STATE SOIL CONSERVATION COMMITTEE

New Jersey Department of Agriculture

P.O Box 330, Room 204

Trenton, NJ 08625

TEL: (609) 292-5540

FAX: (609) 633-7229

Samuel R. Race, Executive Secretary

NEW JERSEY BUREAU OF WATER QUALITY **PLANNING**

401 East State Street, P.O. Box 029

Trenton, NJ 08625-0029

TEL: (609) 633-7021

FAX: (609) 984-2147

Barry Chalofsky, Bureau Director

NEW MEXICO SOIL & WATER CONSERVATION BUREAU

Energy & Forestry Resource Conservation

P.O. Box 1948

Santa Fe, NM 87504-1948

TEL: (505) 827-5830

FAX: (505) 827-3903

. Toby Martinez, Director .

NEW MEXICO ENVIRONMENTAL

DEPARTMENT

Purchase Water Quality Bureau

P.O. Box 26110

Santa Fe, NM 87502

TEL: (505) 827-0187

FAX: 505 (827-0160

Ed Kelley, Division Director

NEW YORK STATE DEPARTMENT OF SOIL & WATER CONSERVATION

1 Winners Circle

Albany, NY 12235

TEL: (518) 457-3738

FAX: (518) 457-3412

Jim McCardell, Acting Director

Page 29 of 33

RESOURCE INFORM<u>ATION</u>

NEW YORK DEPARTMENT OF ENVIRONMENTAL CONSERVATION

50 Wolf Road Room 310C

Albany, NY 12233-3500

TEL: (518) 457-6674 FAX: (518) 485-7786 N.G. Kaul, Director

NORTH CAROLINA DIVISION OF SOIL & WATER CONSERVATION

Box 27687

Raleigh, NC 27611-7687 TEL: (919) 733-2302 FAX: (919) 715-3559 Dewey Botts, Director

NORTH CAROLINA DEPARTMENT OF ENVIRONMENT & NATURAL RESOURCES

P.O. Box 27687 Raleigh, NC 27611 TEL: (919) 733-4064 FAX: (919) 733-3558 John N. Morris, Director

NORTH DAKOTA STATE SOIL CONSERVATION COMMITTEE

State Capitol 600 East Boulevard Avenue Bismark, ND 58505-0790 TEL: (701) 328-2650 FAX: (701) 328-4143

Blake Vander Vorst, Executive Secretary

NORTH DAKOTA DEPARTMENT OF HEALTH

600 East Blvd., Avenue Bismark, ND 58505-0200 TEL: (701) 328-2372 FAX: (701) 328-4727 Kenon Bullinger, Director

OHIO DEPARTMENT OF NATURAL

RESOURCES

Soil & Water Conservation District 1939 Fountain Square Court, Building E-2 Columbus, OH 43224 TEL: (614) 265-6610

TEL: (614) 265-6610 FAX: (614) 262-2064 Larry Vance, Chief

OHIO ENVIRONMENTAL PROTECTION AGENCY

1800 Watermark Drive Columbus, OH 43215 TEL: (614) 644-3020 FAX: (614) 644-2329 Tom Behlen, Chief

OKLAHOMA CONSERVATION COMMISSION

2800 N. Lincoln Boulevard, Suite 160 Oklahoma City, OK 73105 TEL: (405) 521-2384

TEL: (405) 521-2384 FAX: (405) 521-6686

Mason Mungle, Executive Director

OKLAHOMA DEPARTMENT OF ENVIRONMENTAL QUALITY

1000 N.E. 10th Street, Suite 1212 Oklahoma City, OK 73117-1212 TEL: (405) 271-8056 FAX: (405) 271-8425 Mark Coleman, Executive Director

OREGON DEPARTMENT OF AGRICULTURE

Natural Resources Division 635 Capitol Street, NE Salem, OR 97310 TEL: (503) 986-4700 FAX: (503) 986-4730 Charles Craig, Administrator

OREGON DEPARTMENT OF ENVIRONMENTAL QUALITY

811 SW 6th Avenue Portland, OR 97204-1390 TEL: (503) 229-5630 FAX: (503) 229-6124 Jim Giadson, Manager

PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION

P.O. Box 8465 Harrisburg, PA 17105-8465 TEL: (717) 787-2666 FAX: (717) 772-5156 Glenn Maurer, Director

PUERTO RICO NATURAL RESOURCES CONSERVATION SERVICE

P.O. Box 364868 San Juan, PR 00936-4868 TEL: (787) 766-5206 FAX: (787) 766-5987 Juan Martinez, State Conservationist

PUERTO RICO ENVIRONMENTAL PROTECTION AGENCY

1492 Ponce De Leon Ave. Centro Europa Building, Suite 417 San Juan, PR 00907-4127 TEL: (787) 729-6920 FAX: (787) 729-7747 Carl Axel Soderberg, Director

RHODE ISLAND DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

235 Promenade Street Providence, RI 02908 TEL: (401) 277-3961 FAX: (401) 277-6177 Andrew McLeod, Director

SOUTH CAROLINA LAND RESOURCES CONSERVATION COMMISSION

2221 Devine Street, Suite 222 Columbia, SC 29205 TEL: (803) 734-9100 FAX: (803) 734-9200 Cary Chamblee, Deputy Director

DIRECTORY OF STATE WATER QUALITY AGENCIES

SOUTH CAROLINA BUREAU OF WATER

2600 Bull Street

Columbia, SC 29201

TEL: (803) 734-5228

FAX: (803) 734-5355

Alton Boozer, Chief

SOUTH DAKOTA DEPARTMENT OF AGRICULTURE

523 East Capitol Avenue

Pierre, SD 57501-3182

TEL: (605) 773-3375

FAX: (605) 773-3481

Darrell Cruea, Secretary

SOUTH DAKOTA DIVISION OF FINANCIAL MANAGEMENT

523 E. Capitol

Pierre, SD 57501

TEL: (605) 773-4216

FAX: (605) 773-4368

Kelly Wheeler, Director

TENNESSEE STATE DEPARTMENT OF

AGRICULTURE

Agriculture Resources Division

Ellington Center

P.O. Box 40627

Nashville, TN 37204

TEL: (615) 360-0108

FAX: (615) 360-0637

Jim Nance, Director

TENNESSEE DEPARTMENT OF CONSERVATION & ENVIRONMENT

401 Church Street

6th Floor L&C Annex

Nashville, TN 37243-1534

TEL: (615) 532-0625

FAX: (615) 532-0614

Garland Wiggins, Deputy Director

TEXAS STATE SOIL & WATER CONSERVATION BOARD

P.O. Box 658

Temple, TX 76503

TEL: (817) 773-2250

FAX: (817) 773-3311

Robert G. Buckley, Executive Director

UTAH STATE SOIL CONSERVATION COMMISSION

Department of Agriculture

P.O. Box 146500

Salt Lake City, UT 84114-6500

TEL: (801) 538-7171

FAX: (801) 538-7126

Cary Peterson, Commissioner

UTAH DIVISION OF WATER QUALITY

288 N. 1460 West

Salt Lake City, UT 84114-4870

TEL: (801) 538-6146

FAX: (801) 538-6016

Don Ostler, Director

VERMONT NATURAL RESOURCES CONSERVATION COMMISSION

103 South Main Street

Waterbury, VT 05671-0301

TEL: (802) 241-3601

FAX: (802) 244-1102

Barbara Ripley, Secretary

VERMONT DEPARTMENT OF ENVIRONMENTAL CONSERVATION

Agency of Natural Resources

Building 10 North

103 South Main Street, 2nd Floor

Waterbury, VT 05671-0408

TEL: (802) 241-3770

FAX: (802) 241-3287

Tom Willard, Chief

VIRGIN ISLANDS ECONOMIC DEVELOPMENT & AGRICULTURE

Estate Lower Love

Kingshill, VI 00850

TEL: (809) 778-0997

FAX: (809) 778-7977

Dr. Arthur Petersen, Commissioner

VIRGIN ISLANDS DIVISION OF ENVIRONMENTAL PROTECTION

396-1 Annas Retreat

St Thomas, VI 00802

TEL: (340) 777-4577

FAX: (340) 774-5416

Austin Moorehead, Director

VIRGIN ISLANDS DEPARTMENT OF PLANNING & NATURAL RESOURCES

369-1 Foster Plaza-

St. Thomas, VI 00802

TEL: (340) 774-3320

FAX: (340) 775-5006

Beulah Dalmida-Smith, Commissioner

VIRGINIA DIVISION OF SOIL & WATER CONSERVATION

203 Governor Street, Suite 206

Richmond, VA 23219

TEL: (804) 786-2064

FAX: (804) 786-1798

Jack E. Frye, Director

STATE OF WASHINGTON CONSERVATION COMMISSION

P.O. Box 47721

Olympia, WA 98504-7721

TEL: (360) 407-6200

FAX: (360) 407-6215

Steven Myer, Executive Director

WASHINGTON STATE DEPARTMENT OF ECOLOGY

P.O. Box 47600 Olympia, WA 98504-7600 TEL: (360) 407-6000 FAX: (360) 407-6426 Mary Riveland, Director

WEST VIRGINIA DEPARTMENT OF CONSERVATION COMMISSION

1900 Kanawha Boulevard East Charleston, WV 25305-0193 TEL: (304) 558-2204 FAX: (304) 558-1635 Lance Tabor, Executive Director

WEST VIRGINIA DIVISION OF ENVIRONMENTAL PROTECTION

1201 Greenbrier Street Charleston, WV 25311 TEL: (304) 558-2107 FAX: (304) 558-5905 Barbara Taylor, Chief

WISCONSIN DEPARTMENT OF NATURAL RESOURCES

Bureau of Watershed Management P.O. Box 7921 Madison, WI 53707-7921 TEL: (608) 267-7610 FAX: (608) 267-2800 Paulette Harder, Director

WYOMING DEPARTMENT OF AGRICULTURE

2219 Carey Avenue Cheyenne, WY 82002 TEL: (307) 777-6579 FAX: (307) 777-6593 Ron Micheli, Director

WYOMING WATER DEVELOPMENT COMMISSION

Herschler Building 4th Floor West Cheyenne, WY 82002 TEL: (307) 777-7626 FAX: (307) 777-6819 Mike Besson, Director

Other pages in this handbook contain more detailed information on these subjects. Permission is hereby granted to producers, growers, and associations serving the poultry industry to reproduce this material for further distribution. The Poultry Water Quality Consortium is a cooperative effort of industry and government to identify and adopt prudent uses of poultry by-products that will preserve the quality of water for everyone.

POULTRY WATER QUALITY CONSORTIUM
6100 Building, Suite 4300 • 5720 Uptain Road • Chattanooga, TN 37411

Tel: 423 855-6470 • Fax: 423 855-6607

DIRECTORY OF STATE WATER QUALITY AGENCIES

POULTRY WATER QUALITY CONSORTIUM 6100 Building, Suite 4300 5720 Uptain Road Chattanooga, TN 37411 Tel: 423 855-6470 Fax: 423 855-6607